

COMMERCIAL ITEM DESCRIPTION

FUSEHOLDER, BLOCK, 60 AMPERE (A), 600 VOLTS AC, ACCOMMODATING DUAL-ELEMENT, FINGER-SAFE FUSES

The General Services Administration has authorized the use of this commercial item description (CID) for all federal agencies.

The complete requirements for procuring the fuseholders described herein shall consist of this document and the issue in effect of CID A-A-59690.

CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) (see notes). The PIN shall be AA59690/02-01.

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Fuseholders supplied to this CID shall be as specified herein (see figure 1).

Ampere rating. The ampere rating shall be 60 A maximum.

Voltage rating. The voltage rating shall be 600 V ac and 300 V dc maximum at 20,000 ampere interrupt rating.


Wire size. The single wire size this fuseholder shall accept is from #14 to #4 Cu and the maximum dual wire size this fuseholder will accept is #10 Cu.

Fuse accommodation. This fuseholder accepts class J fuses as called out in A-A-59689/2.

Fuseholder mounting. This fuseholder shall be panel mountable or 35 mm DIN mountable.

NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.



Inches	mm
.17	4.32
1.03	26.16
1.53	38.86
2.60	66.04

NOTES:

1. Dimensions are in inches.
2. Tolerance is ± 0.005 inch (0.13 mm), unless otherwise specified.

FIGURE 1. Configuration and dimensions.

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

<u>MFR's CAGE</u>	<u>MFR's name and address</u>
71400	Cooper Bussmann, Incorporated P. O. Box 14460 St. Louis, MO 63178-4460 Phone number: (636) 394-2877 Facsimile number: (800) 544-2570 E-mail: fusebox@buss.com Uniform Resource Locator (URL): www.bussmann.com

Part number (P/N) supersession data. These CID part numbers supersede the following MFR's P/N's as shown. This information is being provided to assist in reducing proliferation in the government inventory system.

TABLE III. P/N supersession data.

CID dash number AA59690/02- (see table I)	MFR's CAGE	MFR's P/N ^{1/}
001	71400	TCFH60

^{1/} The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID P/N shown. For actual part marking requirements see 3.2 of A-A-59690.

MILITARY INTERESTS:

Custodians:
Navy - EC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE
Preparing activity:
DLA-CC
Project 5920-0727-02