

31 January 1985
SUPERSEDING
AMENDMENT 1
23 February 1976

MILITARY SPECIFICATION

Cable, Telephone WF16()/U

This amendment forms a part of Military Specification MIL-C-55425C(EL), dated 20 November 1975, and is approved for use by the Communications-Electronics Command, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

Page 1

2.1 delete from Military Specifications:

"MIL-P-22748 Plastic, Polyethylene and Copolymers, High Density, Molding and Extrusion Material."

add to Federal Specifications:

"L-P-390 Plastic, Molding and Extrusion Material, Polyethylene and Copolymers (Low, Medium, and High Density)."

Page 3

3.2.2 delete "per MIL-P-22748, Class B, Grade 1." and substitute "per L-P-390, Type II, Class H, Grade 1."

Page 7

4.2(a) delete, "preparation of delivery"; add, "packaging".

4.2(c)(1) delete, "preparation for delivery"; add, "packaging".

4.2(c)(2) delete, "preparation for delivery"; add "packaging"

Page 8

4.5 delete "preparation for delivery", add "packaging"

Page 14

4.9 Delete 4.9 and add the following:

4.9 Quality Conformance Inspection of Packaging.

Page 1 of 3

4.9.1 Materials inspection. All materials to be used in packaging shall be inspected in accordance with the applicable material specification.

4.9.2 Preservation inspection. Inspection of preservation and interior markings shall be in accordance with Group A and B Quality Conformance Inspection Requirements of MIL-P-116. Lot formation and sampling procedures shall be as specified therein.

4.9.3 Packing inspection. Inspection of packing and the marking for shipment and storage shall consist of the examinations specified in Table IV "PACKING INSPECTION PROVISIONS." Lot formation shall consist of all packs made of the same materials during an identifiable period and submitted at one time for acceptance. Sampling procedures shall be in accordance with MIL-STD-105, using a single sampling plan and Acceptable Quality level of 4.0 percent defective.

TABLE IV. PACKING INSPECTION PROVISIONS.

NO.	CHARACTERISTIC	METHOD OF INSPECTION
101	Intermediate container not as specified	Visual
102	Improper closure of intermediate container	Visual
103	Shipping containers not in accordance with specification	Visual
104	Excessive cube	Visual
105	Improper blocking and bracing	Visual
106	Closure not in accordance with specification	Visual
107	Weight and size exceed container limitations	Weight and Measure
108	Strapping not in accordance with specification, incorrectly applied, omitted	Visual
109	Marking omitted, incorrect, or illegible	Visual

5. Delete and add

"5. PACKAGING.

"5.1 Packaging requirements. The requirements for packaging shall be in accordance with SPI1G00519."

Page 15

6.3(b) Delete and add:

"(b) Level A or B preservation and packing (see Section 5)."

6. Add the following new paragraphs under "NOTES".

"6.() Level B Preservation. When Level B Preservation is specified, this level of protection will only be used under known favorable conditions during transportation, storage and handling.

"6.() Environmental. Environmental pollution prevention measures are contained in the packaging material specifications referenced herein. Refer to material specifications or preparing activity for recommended disposability methods."

CUSTODIAN:

Preparing Activity:

Army - CR

Army - CR
Project No. 6145-A048