

MILITARY SPECIFICATION SHEET

CONNECTORS AND ASSEMBLIES, ELECTRICAL, AIRCRAFT
GROUNDING JUMPER CABLE ASSEMBLY, AIRCRAFT TO
FUEL NOZZLE, DISCHARGER, ELECTROSTATIC

This specification is approved for use by all Departments and Agencies of the Department of Defense

(A) The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of the following specification listed in that issue of the Department of Defense Index of specifications and standards (DODISS) specified in the solicitation MIL-C-83413




FIGURE 1 Jumper cable assembly

(A) denotes changes

REQUIREMENTS

Grounding plug In accordance with MIL-C-83413/4

Grounding wire 7 X 7 wire in accordance with MIL-W-83420, type II, composition B, jacket color international orange in accordance with FED-STD-595

Splices Shall not be used

Part or Identifying Number (PIN): M83413/10-1.

(A) QUALIFICATION

(A) Qualification is not required for this specification sheet First article inspection shall be a visual and mechanical inspection in accordance with 4.7.1 of MIL-C-83413

Certain provisions of this specification are the subject of International Standardization Agreements ASCC AIR STD 12/25 and NATO STANAG 3632 When revision or cancellation of this specification is proposed which will affect or violate the international agreements concerned, the preparing activity will take appropriate reconciliation action through international standardization channels, including departmental standardization offices, if required

CONCLUDING MATERIAL

Custodians
Army - AV
Navy - AS
Air Force - 85

Preparing activity.
Air Force - 85

Review activities:
Army - AR, CR, ME, MI
Navy - MC
Air Force - 13, 18, 82, 90, 99

Agent
DLA - ES

(Project 5920-0499-04)

International interest.
ASCC 12/25
NATO STANAG 3632
ISO46