

INDEX

- Adhesion
 - Gold-Plating 305
 - Nickel-Plating 305
- Adhesives 58
 - and Tapes 58
- Advantages
 - System 208
 - FCC 4
- Aids
 - Installation 221
- Analysis and Curves
 - Electromagnetic Compatibility Tests 193
- Appearance
 - Gold-Plating 305
 - Nickel-Plating 305
- Application
 - Design 62
 - FCC 69
 - Hinge 155
 - Low-Torque 161
 - Special 155
- Approval
 - Final 151
- Area
 - Rerouting Within the FCC Plug 208
- Assemblies
 - Harness 218
- Assembly
 - Cylindrical Molded-on FCC Plug 248
 - FCC Cable 262
 - FCC Plug 244
 - Final Inspection and Test of Cable 311
 - Inspection and Test of Premolded Plug (unshielded) 309
 - Inspection of Molded-on Plug 307, 308
 - Molded-on FCC Plug 244
 - Molded-on Plug Parts 307, 309
 - Molded-on Plug Parts (cylindrical) 309
 - Parts 244
 - Premolded FCC Plug 252
 - Rectangular Molded-on FCC Plug 244
 - Unshielded Premolded FCC Plug 252
 - Visual/Mechanical Final Inspection and Test of Cable 311
- Availability
 - Hardware 66
- Bending
 - Multiple-Plane 67
- Box
 - Jumper-Wire Distribution 45
 - PC-Board Distribution 45
- Brittleness 300
- Bundles
 - Routing Cable 312
- Cable 12, 217
 - Acceptable Stripped 305
 - FCC Power 134
 - Folding Flat 252
 - General Description of 12
 - General Description of Nonshielded 14
 - GSE Cabinet 155
 - Nonshielded 14
 - Polyester (Mylar) 224
 - Polyimide 229
 - Polyimide/FEP 231
 - Power 21
 - Rerouting with a 208
 - Selection 19
 - Shielded 19
 - Shielded Polyester (Mylar) 227
 - Shielded Polyimide 231
 - Shielding of 114
 - Unshielded Polyester (Mylar) 227
 - Unshielded Polyimide 229
 - Unshielded Polyimide/FEP 231
 - Unshielded TFE Teflon 231
 - Width of 288
- Cables and Connectors
 - Selection of 144
- Capacitance
 - Cable 174
- Capacitors 176
- Capacity
 - Current-Carrying 71
 - Increased Thermal 8
- Categories
 - Temporary Wiring-change 208
 - Wiring-Change 204
- Certification
 - Material 299
- Characteristics
 - FCC Electrical 69
 - Function-Frequency and Time-Variable 175

INDEX (Continued)

- Charts
 - In-Process Quality-Control Flow 267
- Circuitry
 - Balanced or Differential 165
 - Frequency Discriminating in Terminating 177
- Clamping and Supports
 - Full-Scale Development Fixture or Mockup 149
- Clamps 45
 - Application for Noncritical 48
 - Design Goals 45
 - For Severe Environmental 48
 - Metal-Cushioned for 200°C 48
 - Metal-Noncushioned for 200°C 48
 - Nonmetal for 100°C 48
- Clamps and Supports
 - Receiving and inspection of 302
- Cleaning
 - Conductor 310
- Cleaning and Tinning 256
- Cleanliness
 - Conductor and Insulation 305
- Company
 - Capability of 69
- Comparison
 - Space 64
 - Weight 62
- Compatibility
 - Amplitude Dependence of Electromagnetic 185
 - Functional Dependence of Electromagnetic 186
 - Resolution/Accuracy Dependence of Electromagnetic 186
- Components
 - Frequency Dependence of Reactive 175
- Compound
 - Potting 300, 308
- Conclusions 67, 213, 220
- Conductors 14
 - Analyzing the Electromagnetic Compatibility of Two 188
- Configurations 211
 - Minimum-Spurious-Coupling 161
 - Special Electrical 161
 - Spurious-Coupling Circuit 178
- Connectors 24, 218
 - Conductors Contact 24
 - Distributors with Few 211
 - Distributors with Many 213
 - FCC, for Severe Environmental Conditions 36
 - High-Density FCC 36
 - Nonenvironmental 40
 - Other FCC 36
 - Poseidon Prototype 36
 - Terminating to Round 204
 - Terminating with Round 67
- Considerations
 - Design 69
 - FCC Program 69
 - Stripping 21
- Contacts
 - Conductor 40
 - Pin-and-Socket 40
- Continuity
 - Electrical Cable 299
- Control
 - Molding Compounds, Potting Compounds, and Adhesives 300
- Control and Storage
 - Gasket Age 300
- Cost 64
- Coupling
 - Determining Terminations, Impedances, and Sensitivity to Spurious 183
 - Frequency Dependence of Spurious 183
 - Length Dependence of Spurious 184
- Crosstalk 99
 - Electric-Field 99
 - Electrostatic 193
 - Magnetic 198
 - Magnetic-Field 99
 - Shielded FCC Electrostatic 195
 - Shielded FCC Magnetic 200
 - Unshielded FCC Electrostatic 195
 - Unshielded FCC Magnetic 199
- Damage
 - Conductor 302, 303
 - FCC to FCC Rectangular Receptable General 301
 - Insulation 303
- Data
 - Capacitance 76
 - Inductance 88

INDEX (Continued)

- Definition
 - System 69
- Description
 - Computer 172
- Design 67
 - Capability of Mechanized 166
 - Detailed Shield 114
 - Electromagnetic Compatibility Considerations in Cable 94
 - Harness 138
 - Mechanized 166
 - Practical Shield 114
- Development
 - FCC Connectors for Severe Environmental Conditions Initial 36
 - Objectives of FCC Harness 149
- Devices
 - Auxiliary Terminating 208
 - Nonlinear 177
 - Wire-Change 45
- Dimensions
 - Cable (Unshielded) 288
 - FCC to FCC Rectangular-Receptacle 301
 - Gasket 300
 - Plug 299
 - Premolded Plug Wedge and Retainer 300
 - Receiving and Inspection of Clamps and Supports 302
- Dissipation
 - Heat 219
- Distribution
 - Termi-Point 45
- Distributors
 - Branched Harnesses with 141
 - Two-Ended Harnesses with 144
- Drawings
 - Cable Network 151
 - Electrical Interface 155
 - Other FCC Application 151
 - Wire-Harness 146
- Effectiveness
 - Total Shielding 192
 - Type of Losses Contributing to Shielding 191
- Ends
 - Strip-Cable 310
- Epoxy
 - Application of 310
- Familiarization and Training 67
- FCC
 - Final Preparation of 256
 - Present Status of 8
- Finish
 - FCC to FCC Rectangular-Receptacle Material 301
- Finishing
 - Molded-on Plug Assembly 309
 - Plug Assembly 308
 - Rectangular Molded-on FCC Plug Assembly 248
- Flexibility
 - Electrical Harness 67
- Folding
 - Conductor 307, 309
- Forces
 - FCC to FCC Rectangular-Receptacle Mating and Unmating 301
- Format
 - Report 11
- Fundamentals
 - Conductor Zoning 177
 - EMC 172
 - Shielding 191
- Future Use
 - Predicted 9
- Gasket 300
- General 1, 221
- Handling
 - Material 224
- Hardness
 - Gasket 300
- Hardware
 - Available 8
 - FCC 12
- Harnesses
 - Assembly and Installation of FCC 262
 - Installation Preparation for FCC 312
 - Multibranched 141

INDEX (Continued)

- History 1
- Identification
 - Cable Inspection and Test 288
 - FCC to FCC Rectangular-Receptacle 301
 - FCC to FCC Rectangular-Receptacle Material 301
 - Receiving and Inspection of Clamps and Supports 302
- Identification and Storage
 - Molding Compounds, Potting Compounds, and Adhesives Control 301
- Impedance 177
 - Characteristic 90
 - Terminating 175
- Inductance
 - Cable 174
- Inductors 176
- Insertion
 - Cable-Conductor 309
 - Wedge 309
- Inspection
 - Cable (Shielded) 291
 - Cable Inspection and Test Receiving 299
 - Cable-Shearing 302
 - Cable-Stripping 302
 - Clamps and Supports Packaging and Packing 302
 - Conductor 305
 - Gold-Plating Conductor and Shield 305
 - Molding-Compound 307
 - Packaging and Packing 288, 299
 - Receiving 288
- Inspection and Test
 - Cable 288
- Installations
 - FCC Harness 146, 262
 - Full-Scale Development Fixture or Mockup Initial 149
 - Harness 219
 - Mockup 221
- Interference
 - Required Decoupling Ratio Between Source and Susceptible Circuit 173
- Introduction 1, 12, 24, 45, 58, 62, 69, 204, 217, 267
- Joints
 - Cable Matrix 208
- Layout
 - Electromechanical 149
 - Wiring 138
- Lines
 - Transmission 165
- Losses
 - Absorption 126, 191, 193
 - Electric-Field Reflection 126
 - Frequency Dependence of Conductor Transmission 187
 - Magnetic-Field Reflection 126
 - Plane-Wave Reflection 114
 - Reflection 192
 - Shielded FCC Reflection 202
 - Termination Impedance Dependence of Conductor Transmission 187
 - Transmission 202
 - Unshielded FCC Transmission 202
- Lugs
 - Clean Conductors and Ground 310
 - Procedure for Terminating FCC to Ground 260
 - Tinning and Soldering Conductors and Ground 310
- Machine
 - Carpenter FCC Stripping 236
 - Rush FCC Stripping 236
 - Viking FCC Stripping 236
- Manufacturing 67
 - Detail 224
- Materials 221
 - Certification of Conductor 288
 - Insulation 14
 - Loss Characteristics of Shielding 192
 - Receiving Inspection of Molded-on Plug 307
 - Receiving Inspection of Plug 308
 - Receiving Inspection of Related Plug 300
 - Shielded 19
- Modes
 - Termination Impedance Dependence of Spurious-Coupling 178
- Molding
 - Molded-on Plug Assembly 307, 308
- Objectives
 - Design 211

INDEX (Continued)

- Outline
 - Inspection and Test Plan 267
- Packaging and Packing
 - FCC to FCC Rectangular-Receptacle 301
- Parameters
 - Distributed 176
- Perforations
 - Shield 130
- Performance
 - Improved System 8
 - System 66, 219
- Pin-and-Socket 29
- Pin Assignment and Zoning 146
- Placement
 - Simplified Optimization of Conductor 95
- Plating
 - Conductor and Shield 305
 - Gold 242
 - Nickel 240, 305
 - Nickel-Plated Conductors and Shield Gold 305
 - Preparation for 240
- Plugs
 - Cylindrical Molded-on 24
 - Flash Workmanship of 299
 - General Damage 299
 - Identification of Premolded 299
 - Molded-on 24
 - Nonshielded Rectangular Premolded 29
 - Potting Base of 309
 - Premolded 29
 - Receiving Inspection of Premolded (Shielded and Unshielded) 299
 - Rectangular Molded-on 24
 - Workmanship of 299
- Porosity 300
- Potting
 - Conductor 310
 - Plug Assembly 308
- Preparation
 - Conductor 256, 310
- Processes
 - Cable Stripping 224
- Procedures
 - Cleaning 242
 - General 221
 - Gold Plating 244
 - Gold-Strike-Plating 242
 - Nickel-Plating 242
 - Post-Gold-Plating 244
 - Post-Nickel-Plating 242
 - Quality Assurance Inspection and Test 267
 - Stripping (Flat Cable) 256
- Production 204
- Propagation
 - Velocity of 94
- Purpose 1, 62
- Quality Control 67
- Ratio
 - Allowable Signal-to-Noise 173
- Receptacles 29
 - Cylindrical FCC to FCC 29
 - Cylindrical FCC to RWC 29
 - Electrical FCC to FCC Rectangular 302
 - FCC to FCC Cylindrical 302
 - FCC to FCC Rectangular 301
 - FCC to RWC Cylindrical 302
 - FCC to RWC Rectangular 301
 - Receiving Inspection 300
 - Rectangular FCC to FCC 29
 - Rectangular FCC to RWC 29
- Reflections
 - Secondary 193
- Reflectometry
 - Flat Cable Testing with Time Domain 296
- Registration
 - Full-Scale Development Fixture or Mockup Cable-Segment 151
- Relationships
 - Conductor 177
- Reliability 217
 - Increased 8
- Removal
 - Complete Insulation 303

INDEX (Continued)

- Requirements
 - Computer Program Design 171
 - Electrical Interface 69
 - Environmental 69, 309
 - FCC Harness Folding 312
 - FCC Program 69
 - Installation of FCC Inspection and Test 311
 - Interconnecting Wiring 138
 - Network System 69
 - Plug Assembly Molding Environmental 307
 - Specification 16
- Resistance 71
 - Conductor 299
 - FCC to FCC Rectangular Receptacle Electrical Contact 301
 - FCC to FCC Rectangular Receptacle Low-Level Contact 301
 - Insulation 299, 300
 - Nickel-Plating Corrosion 305
 - Radiation 16
- Rotation 161
- Sample
 - Molding 309
 - Plug Assembly Molding 308
- Sampling and Test
 - Gold-Plating 307
 - Nickel-Plating 305
- Saving
 - Cost 4
 - Space 4
 - Weight 4
- Schematics 151
- Seal
 - Installation of Silicone Rubber 309
- Selections
 - Cable 131
 - Connector 131
- Shearing
 - Cable 224, 256
- Shields
 - Multiple-Layer 130
 - Theory of 191
- Soldering 310
- Soldering and Potting 256
- Solution
 - Nickel-Plating Sampling and Testing 305
- Spacing and Alignment
 - Conductor 288
- Specifications 8
- Stowage and Deployment 155
- Strength
 - Dielectric 299
 - Tensile 16
- Strip
 - Dimension of 303
- Stripability
 - Cable Inspection and Test 299
- Stripper
 - Gore 236
 - NASA Cold Blade 231
 - NASA Plane 233
- Stripping
 - Cable 224, 309
 - Chemical 224
 - FCC 310
 - Mechanical 231, 303
 - Polyester and Polyimide, Unshielded and Shielded Cable Chemical 302
 - Round-Wire 310
- Structure
 - Use of Existing 58
- Studies
 - System 9
- Summary 265
- Supports 58
 - Added 58
 - Shop-Aid Clamp 48
- Supports and Clamps
 - Installation of 262, 312
- Surveillance
 - Molding Compounds, Potting Compounds, and Adhesives Control Storage 301
- Systems
 - Advantages of FCC 62
 - Advantages of Other FCC 66

INDEX (Continued)

- Systems (Continued)
 - Balanced Transmission 164
 - Comparison of FCC to RWC 62
 - Limitations in Use of FCC 66
 - Network Interconnection 131
 - Preliminary Selection of FCC 69
 - Spurious Coupling in Flat Cable 172
 - Termination 131
 - Unshielded 311
- Tapes 61
- Techniques
 - Full-Scale Development Fixture or Mockup Folding 149
 - Manufacturing and Installation 221
- Terminations
 - Cable Preparation for 307
 - Cable-Shield Discontinuities 175
 - In-Process Inspection and Test of Cable Preparation for 302
 - Inspection of FCC Conductors to Ground-Lug 310
 - Inspection and Test of Cable 307
 - Special 310
- Testing
 - Electrical 311
 - Material 300
 - Plug Material 300
- Theory
 - EMC 172
- Thickness
 - Gold-Plating 307
 - Nickel-Plating 305
- Tools
 - Cable-Stripping 231
- Tradenames 11
- Transformers 175
- Threading
 - Conductor 307
 - Orientation During 307
- Transitions
 - FCC to RWC 256
 - Inspection of FCC to Round-Wire 310
- Units
 - Distribution 204, 208
- Use
 - Approval for 69
- Verification
 - Plug Assembly Molding Manufacturing 308
- Voltage
 - Dielectric Withstanding 300
- Wedge and Retainer
 - Premolded Plug 300
- Wicking
 - Chemical Stripping 303
- Wire
 - Stripping Round 256
- Wiring
 - Changes in 204
 - Introduction to Electrical Zoning of System 177
 - Spurious Coupling Ratio of Interconnection 173
- Workmanship
 - Cable Inspection and Test 299
 - Receiving and Inspection of Clamps and Supports 302