

MILITARY SPECIFICATION

Inactive for new design as of 7 September 1995

MICROCIRCUITS, DIGITAL, BIPOLAR, TTL, DECODERS,
MONOLITHIC SILICON

This amendment forms a part of MIL-M-38510/10C, dated 3 March 1986, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 2

3.1, at the end of the paragraph add the following sentence:

"This slash sheet has been modified to allow the manufacturer to use the alternate die/fabrication requirements of paragraph A.3.2.2 of MIL-PRF-38535 or other alternative approved by the Qualifying Activity."

PAGE 7

3.6, delete second sentence in its entirety. Add the following paragraph 3.6.1:

"3.6.1 Certification/compliance mark. The certification mark for device classes Q and V shall be a "QML" or "Q" as required in MIL-PRF-38535. For class Q product built in accordance with A.3.2.2 of MIL-PRF-38535 or other alternative approved by the Qualifying Activity, the "QD" certification mark shall be used in place of the "QML" or "Q" certification mark."

Custodians:

Army - CR
Navy - EC
Air Force - 11
DLA - CC

Preparing activity:

DLA - CC

(Project 5962-1874)

Review activities:

Army - AR, MI, SM
Air Force - 19, 99
Navy - OS, SH, TD, AS, CG, MC