

INCH-POUND

MIL-M-38510/505A
AMENDMENT 1
8 June 1993

MILITARY SPECIFICATION
MICROCIRCUITS, DIGITAL, BIPOLAR, PROGRAMMABLE LOGIC
MONOLITHIC SILICON

This amendment forms a part of MIL-M-38510/505A, dated 10 March 1993, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 6

Footnote 3/ under Table I; add the following: Equivalent I_0 test may be performed $V_0 = 2.25$ V, -15 mA minimum to -125 mA maximum.

PAGE 18

Note 2 change $R1 = 200\Omega \pm 2\%$; $R2 = 390\Omega \pm 2\%$ to $R1 = 390\Omega \pm 5\%$; $R2 = 750\Omega \pm 5\%$

PAGE 19

On figure 5 change the voltage for pins 15-22 from 5.0 V to 5.0 V ± 0.3 V. In second line of note 2 change $V_{IL} = 1.5$ V to -1.5 V.

CONCLUDING MATERIAL

Custodians:

Army - ER
Navy - EC
Air Force - 17

Review activities:

Air Force - 19, 85, 99
DLA - ES

Preparing activity:

Air Force - 17

Agent:

DLA - ES

(Project 5962-1343)