

NOTE: The document identifier and heading has been changed on this page to reflect that this is a performance specification. There are no other changes to this document. The document identifier on subsequent pages has not been changed, but will be changed the next time this document is revised.

INCH-POUND
MIL-PRF-55339/12
AMENDMENT 2
17 June 1996
SUPERSEDING
AMENDMENT 1
28 February 1979

PERFORMANCE SPECIFICATION

ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY
(WITHIN SERIES C (HERMETIC)), CLASS 2, STRAIGHT RECEPTACLE

This amendment forms a part of Military Specification MIL-PRF-55339/12, dated 6 May 1975, and is approved for use by all Departments and Agencies of the Departments of Defense.

PAGE 1

Title, delete and substitute:

"ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, JAMNUT MOUNTED, (WITHIN SERIES C JACK TO SERIES C JACK (HERMETIC)), CLASS 2".

Figure 1: Delete dimension "1.150 MAX" and substitute dimension "1.160 MAX".

* Figure 1; add the following new note: "4. Interface dimensions shall be in accordance with MIL-STD-348."

PAGE 2

* Figure 2: Delete in its entirety.

PAGE 3

Seal: Weatherproof - delete and substitute "30 psi (mounting seal)".

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the material notations and relationship to the last previous amendment.

CONCLUDING MATERIAL

Custodians:
Army - CR
Navy - EC
Air Force 85

Preparing activity:
DLA - ES
(Project 5935-4057-11)

Review activities:
Army - AR, AT, EA, MI
Navy - AS, MC, OS, SH
Air Force - 19, 99