

INCH-POUND

NOTE: The document identifier and heading has been changed on this page to reflect that this is a performance specification. There are no other changes to this document. The document identifier on subsequent pages has not been changed, but will be changed the next time this document is revised.

MIL-PRF-55339/47A
AMENDMENT 2
17 January 1997
SUPERSEDING
AMENDMENT 1
28 SEPTEMBER 1984

PERFORMANCE SPECIFICATION

ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE,
(BETWEEN SERIES SMA PLUG TO SERIES BNC JACK), CLASS 2

This amendment forms a part of MIL-PRF-55339/47A, dated 28 February 1979, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Figure 1, Delete dimension ".562 max. DIA" and substitute ".593 max. DIA."

- Figure 1, General configuration: Delete reference box referring to Figures 2 and 3 in its entirety. Following note 4, add: "5. Interface shall be in accordance with MIL-STD-348."

PAGE 2

- Figure 2, Mating dimensions for BNC socket terminations: Delete in its entirety.

PAGE 3

- Figure 3, Mating dimensions for SMA pin terminations: Delete in its entirety.

NOTE: The margins of this amendment are marked with asterisks to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

Custodians:
Army - CR
Navy - EC
Air Force - 85

Preparing activity:
DLA - CC

(Project 5935-4028-16)

Review activities:
Army - AR, AT, EA, MI
Navy - AS, MC, OS, SH
Air Force - 19, 99