

INCH-POUND

NOTE: The document identifier and heading has been changed on this page to reflect that this is a performance specification. There are no other changes to this document. The document identifier on subsequent pages has not been changed, but will be changed the next time this document is revised.

MIL-PRF-55339/5  
AMENDMENT 2  
15 May 1996  
SUPERSEDING  
AMENDMENT 1  
28 February 1979

PERFORMANCE SPECIFICATION

ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY,  
(WITHIN SERIES N), CLASS 2, STRAIGHT PLUG

This amendment forms a part of Military Specification MIL-PRF-55339/5, dated 6 May 1975, and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

Title, delete and substitute:

"ADAPTER, CONNECTOR, COAXIAL, RADIO FREQUENCY, IN-LINE, (WITHIN SERIES N PLUG TO SERIES N PLUG), CLASS 2"

- \* Figure 1. General configuration, add new note 5 as follows: "5. Interface dimensions shall be in accordance with MIL-STD-348."

PAGE 2

- \* Figure 2. Mating dimensions for pin contact terminations, delete in its entirety.

PAGE 3

VSWR; delete and substitute: "1.30 maximum at .5 to 11 GHz".

The margins of this amendment are marked with an asterisk to indicate where changes from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the material notations and relationship to the last previous amendment.

CONCLUDING MATERIAL

Custodians:  
Army - CR  
Navy - EC  
Air Force - 85

Preparing activity:  
DLA - ES  
(Project 5935-4057-05)

Review activities:  
Army - AR, AT, EA, MI  
Navy - AS, MC, OS, SH  
Air Force - 19, 99

1 of 1

FSC 5935

AMSC N/A  
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.