

QUALIFIED PRODUCTS LIST

OF

FSC 5905

PRODUCTS QUALIFIED UNDER MILITARY SPECIFICATION

MIL-R-94

RESISTOR, VARIABLE, COMPOSITION

GENERAL SPECIFICATION FOR

This list has been prepared for use by or for the Government in the acquisition of products covered by Specifications MIL-R-94. Listing of a product is not intended to and does not connote endorsement of the product by the Department of Defense. All products listed herein have been qualified under the requirements for the product as specified in the latest effective issue of the applicable specification. This list is subject to change without notice; revision or amendment of this list will be issued as necessary. The listing of a product does not release the supplier from compliance with the specification requirements.

THE ACTIVITY RESPONSIBLE FOR THIS QPL IS THE DEFENSE ELECTRONICS SUPPLY CENTER (DESC-ELS), DAYTON, OH 45444-5764.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFICATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RV2 Bushings N, L, and S, with and without a switch, temp. and moisture res. char. Y, slotted and flatted operating shafts, res. values 100 ohms thru 2.5 megohms, all res. chars.	N	PEC-68-2-N	/4	Precision Electronic Components, Ltd.
RV4 All bushings, with and without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 50 ohms thru 1.0 megohm, res. chars. A and B; res. values 250 ohms thru 0.5 megohm, res. chars. C, D, E, and F.	53C	94-198-91	/5	Clarostat Mfg. Co., Inc.
RV4 All bushings, with and without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values above 1 megohm to 5.0 megohms, res. char. B; res. values above 0.5 megohm to 2.5 megohms, res. chars. D and F.	53C	94-198-91	/5	Clarostat Mfg. Co., Inc.
RV4 Bushings N, L, and S with and without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. chars. A and B, res. values 250 ohms thru 5.0 megohms, res. chars. C, D, E, and F.	J	94-582-91	/5	Clarostat Mfg. Co., Inc.
RV4 Bushings N, L, and S, with and without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. chars. A and B, res. values 250 ohms thru 5.0 megohms, res. chars. C, D, E, and F.	RV4	94-1003-79	/5	Distributed by: Ohmite Manufacturing Co. Manufactured by: Clarostat Mfg. Co., Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RV4 All bushings, with and without a switch, temp. and moisture res. char. Y, slotted and flatted operating shafts, res. values 50 ohms thru 5.0 megohms, all res. chars.	Type K	484-13/C-9704	/5	Distributed by: Ohmite Manufacturing Co. Manufactured by: Precision Electronic Components, Ltd.
RV4 All bushings, with and without a switch, temp. and moisture res. char. Y, slotted and flatted operating shafts, res. values 50 ohms thru 5.0 megohms, all res. chars.	Type K	484-13/C-9704	/5	Precision Electronic Components, Ltd.
RV5 Bushings N, L and S, without a switch, temp. and moisture res. char. Y, slotted operating shafts, res. values 250 ohms thru 2.5 megohms, all res. chars.	T	PEC-68-1-T	/2	Precision Electronic Components, Ltd.
RV6 All bushings, without a switch, all temp. and moisture chars. flatted and slotted operating shafts, res. values 100 ohms thru 1.0 megohm, res. chars. A and B; res. values 500 ohms thru 0.25 megohm, res. chars. C, D, E, and F; res. values 0.25 megohm to 1.0 megohm, res. chars. D and F.	392M	94-583-91	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, all temp. and moisture chars., flatted and slotted operating shafts, res. values 100 ohms thru 1.0 megohm, res. chars. A and B.	382M	94-1091-83	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, all temp. and moisture chars., flatted and slotted operating shafts, res. values above 1.0 megohm to 5.0 megohms, res. char. B.	382M	94-1091-83	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, all temp. and moisture chars., slotted operating shafts, res. values 500 ohms thru 0.25 megohm, res. chars. C, D, E, and F.	382M	94-1091-83	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, all temp. and moisture chars., flatted and slotted operating shafts, res. values above 0.25 megohm to 2.5 megohms, res. chars. D and F.	382M	94-1091-83	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 100 ohms thru 5.0 megohms, res. chars. A and B, res. values 500 ohms thru 2.5 megohms, res. chars. C, D, E and F.	G, W	94-584-91 94-585-91	/3	Clarostat Mfg. Co., Inc.
RV6 All bushings, without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 100 ohms thru 5.0 megohms, res. chars. A and B, res. values 500 ohms thru 2.5 megohms, res. chars. C, D, E and F.	RV6	94-872-77	/3	Distributed by: Ohmite Manufacturing Co. Manufactured by: Clarostat Mfg. Co., Inc.

GOVERNMENT DESIGNATION	MANUFACTURER'S DESIGNATION OR TYPE NUMBER	TEST OR QUALIFICATION REFERENCE	DETAIL SPECIFI- CATION	MANUFACTURER'S NAME (ADDRESS ON LAST PAGE)
RV6 All bushings, without a switch, temp. and moisture char. Y, slotted operating shafts, res. values 100 ohms thru 5.0 megohms, all res. chars.	RV6	484-09E USTC 30423	/3	Distributed by: Ohmite Manufacturing Co. Manufactured by: Precision Electronic Components, Ltd.
RV6 Bushings N, L, and S, without a switch, temp. and moisture res. char. Y, flatted and slotted shafts, res. values 100 ohms thru 5.0 megohms, all res. chars.	S, SM, and SML	484-09E	/3	Precision Electronic Components, Ltd.
2RV7 Bushings N, L, and S, without a switch, temp. and moisture res. char. Y, slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. char. A.	JJ	94-878-80	/6	Clarostat Mfg. Co., Inc.
2RV7 Bushings N, L, and S, without a switch, temp. and moisture res. char. Y, slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. char. A.	2RV7	94-878-80	/6	Distributed by: Ohmite Manufacturing Co. Manufactured by: Clarostat Mfg. Co., Inc.
2RV7 All bushings without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. char. A.	KK	PEC-73-1-KK W/Supp Rpt No. 1	/6	Distributed by: Ohmite Manufacturing Co. Manufactured by: Precision Electronic Components, Ltd.
2RV7 All bushings without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 50 ohms thru 5.0 megohms, res. char. A.	KK	PEC-73-1-KK W/Supp Rpt No. 1	/6	Precision Electronic Components, Ltd.
RV8 All bushings without a switch, all temp. and moisture chars., flatted and slotted operating shafts, res. values 100 ohms thru 1.0 megohm, res. chars. A and B; res. values 500 ohms thru 0.25 megohm, res. chars. C, D, E, and F; res. values 0.25 megohm to 1.0 megohm, res. chars. D and F.	392MPC	94-586-91	/7	Clarostat Mfg. Co., Inc.
RV8 All bushings, without a switch, temp. and moisture res. char. Y, flatted and slotted operating shafts, res. values 100 ohms thru 5.0 megohm, all res. chars.	SPR	94-206-89	/7	Precision Electronic Components, Ltd.

MANUFACTURER'S NAME, ADDRESS AND PLANT	CAGE CODE
Clarostat Manufacturing Co. Inc. 12055 Rojas Drive, Suite K El Paso, TX 79936-2323 Plant: Clarostat De Mexico Vincente Guerrero 7150-A Parque Los Fuentes CD. Juarez, Chih. Mexico	12697
Distributed by: Ohmite Manufacturing Company 3601 Howard Street Skokie, IL 60076 Manufactured by: Clarostat De Mexico S. A. DE C. V. Parque Juarez-Porvenir KM.3 INT. Apartado Postal 1755(D) CD. Juarez, Chich. Mexico	44655
Distributed by: Ohmite Manufacturing Company 3601 Howard Street Skokie, IL 60076 Manufactured by: Precision Electronic Components, Ltd. 19 Hafis Road Toronto 385, Ontario, Canada Plant: Same Address	44655
Precision Electronic Components, Ltd. 19 Hafis Road Toronto 385, Ontario, Canada Plant: Same Address	35627